COFFEE REGIONAL MEDICAL CENTER

1PO

Last Admit Date:

Patient Weight: _____

PEDIATRIC ADMISSION ORDERS

DIAGNOSIS	
ADMIT TO	Dr. (with Dr. covering) ❒ Hospitalist
STATUS	❒ Referred for Observation ❒ Inpatient ❒ OPS | Expected LOS > two midnights ❒ YES ❒ NO
MEDICAL NECESSITY DATA (S&S, LAB/XRAY REPORTS etc)	
SERVICE	❒ Medical ❒ Surgical ❒ ICU/IMCU ❒ WH ❒ OB/GYN ❒ Pediatrics ❒ Ortho
CONDITION	❒ Stable ❒ Guarded ❒ Poor ❒ Critical
CONSULT	❑ Dr. ❒ Done ❒ Page on Arrival ❒ Page in AM
CONTACT MD	❑ For any question/problems ❑ In AM w/ room # ❑ On arrival to floor ❑ Further Orders
ACTIVITY	❑ As tolerated ❑ Prop head & shoulders @ 45 degrees
DIET	❑ Age appropriate ❑ Clear liquids ❑ Pedialyte ad lib ❑ NPO
NURSING	❑ I/O Q 8hrs ❑ Daily weight ❑ Strict I&O's ❑ Telemetry X ❑ 24 hours ❑ 48 hours ❑ Apnea Monitor
IVF	❑ _____cc Bolus over ❑ 30 min ❑ 1 hour then ❑ Saline lock May use Emla Cream ❑ D5 1/3 NS or ❑ D5 1/2 NS at_____cc/hr ❑ _____at _____cc/hr
VITALS	❑ Routine ❑ Neuro check Q _____hrs x _____hrs ❑ BP with Vitals
AM STUDIES	❑ CBC ❑ BMP ❑ CMP May use Emla Cream for IV start or labsticks
LAB	❑ CBC with Manual Diff ❑ BMP ❑ Blood C&S x 1 ❑ CRP & Sed Rate ❑ Urinalysis ❑ Urine C&S ❑ CMP ❑ ESR
IMAGING	❑ Chest X-ray ❑ KUB ❑ ABD Series ❑ Portable Ok
MEDICATION ORDERS (If Checked)	❑ Zofran_____mg PO or IV or IM (circle) every 6 hrs prn nausea ❑ Rocephin_____mg IV or IM (circle) every 12 or 24 (circle) hrs ❑ Solumedrol_____ 1 mg / kg / dose IV every 12 hrs ❑ Albuterol jet neb ❑ 0.63mg ❑ 1.25mg ❑ 2.5mg every 4 6 8 (circle) hrs and prn with peak flows with oximetry ❑ Atrovent jet neb every 4 6 8 (circle) hrs ❑ CPT with Nebs ❑ Pinwheel or Incentive Spirometry ❑ Orapred 1 mg / kg / dose every 12 hrs PO ❑ Tylenol 15 mg / kg per dose PO or PR every 4 hrs prn for fever >101 ❑ Motrin 10 mg / kg per dose PO every 6 hrs prn for fever >102 (for children > 6 months of age only) ❑ Tepid sponge bath for temp ≥103F ❑ Benadryl _____mg PO or IV (circle) every 6 hrs prn itching or rash ❑ Saline nasal drops in each nostril every 2 hrs prn ❑ Oxygen: NC @ 1.5/2 L/M 40% Face mask 40% Oxi-hood (circle) ❑ To keep O2 Sat's > 90% ❑ Mycolog cream to diaper area every 6 hrs prn diaper rash ❑ Little Noses Nasal Decongestant Drops- 1 drop to each nostril every 8 hours X 3 days ❑ _____ ❑ Repeated and Verified with Attending

Physician Offices-For the most updated form please visit www.coffeeregional.org and print from the "For Our Physicians" link.

PO_9012_EFR
Rev. 09/12/2025